

# Xilaplus<sup>®</sup>

## Intended use

The medical device is intended to restore the physiological functions of the intestinal walls, specifically formulated for the control and reduction of the symptoms related to diarrheal events of different aetiologies, such as abdominal tension and frequent emission of faeces.

The combination of Gelatin and Xyloglucan of which the product is composed acts by forming a film which protects the intestinal mucosa, reducing the frequency and duration of diarrhoea episodes. The medical device is available in capsule form for adults and as a powder for paediatric use.

## Nature and contents of the container

The device is packaged in:

- Sachets for children
- Capsules for adult use

## Composition

Capsules: Combination of Gelatine (porcine origine) and Xyloglucan, Corn Starch, Magnesium Stearate

Powder: Combination of Gelatine (porcine origine) and Xyloglucan, maltodextrins, citric acid, sodium chloride, sucralose and strawberry and vanilla flavour

## Instructions for use

Capsules: swallow the capsule with water.

Powder: Dissolve the content of one sachet in a half glass of water. It can also be added to a small quantity of milk, fruit juices or yogurth. Mix well and give immediately.

## Dosage

Children below 3 years old: 1 sachet each 8 hours

Children between 3 and 14 years old: 1-2 sachets each 6-8 hours

Adults and children more than 14 years old: 1-2 capsules each 6-8 hours

## Warnings

Please note the following warnings

- The consultation of a healthcare professional before using the product is not necessary. However such consultation is advisable in case of severe or persistent symptoms or when there are doubts on the diagnosis, mainly in children below 3 years and elderly people.
- In case of diarrhoea in children below 3 years, mainly when other symptoms are present, we recommend to consult your healthcare professional
- This medical device is not a pharmacological treatment. If such treatment is recommended by a Healthcare professional, the device can be administered concomitantly with it.
- It's recommended abundant liquid intake and the usual dietary measures used in the management of diarrhoea (oral rehydration).
- Even though no side effects are known, it is recommended that the product is not used during pregnancy or in the early months of breastfeeding. In any case, always consult your doctor beforehand
- Do not use the product after the expiry date printed on the package.
- Do not use the product if the blister or sachets is opened or damaged
- Store at room temperature away from sources of heat. Do not freeze.
- Keep the product out of the reach of children.

## Contraindications and undesired effects

The medical device should not be used in patients with known hypersensitivity to gelatine, xyloglucan or any other ingredient of the product.



NOVINTETHICAL PHARMA SA  
Via Pian Scairolo, 11  
6915 Lugano - Switzerland

CE  
0373

Rev 03: 14.11.2014